DOCUMENT RESUME

ED 441 062 UD 033 528

AUTHOR Ventura, Stephanie J.; Curtin, Sally C.; Mathews, T. J.

TITLE Variations in Teenage Birth Rates, 1991-98: National and

State Trends.

INSTITUTION National Center for Health Statistics (DHHS/PHS),

Hyattsville, MD.

PUB DATE 2000-04-24

NOTE 20p.

CONTRACT DHHS-PHS-2000-1120

AVAILABLE FROM National Center for Health Statistics, 6525 Belcrest Road,

Hyattsville, MD 20782-2003. Tel: 301-458-4636; e-mail:

nchsquery@cdc.gov; Web site: http://www.cdc.gov/nchs.

PUB TYPE Collected Works - Serials (022) -- Numerical/Quantitative

Data (110) -- Reports - Descriptive (141)

JOURNAL CIT National Vital Statistics Reports; v48 n6 Apr 24, 2000

EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS *Adolescents; Age Differences; *Birth Rate; *Minority

Groups; *Racial Differences; Tables (Data); Urban Youth;

Young Adults

ABSTRACT

This report presents national birth rates for teenagers for 1991-1998 and the percent change from 1991 to 1998. State-specific teenage birth rates by age, race, and Hispanic origin for 1991 and 1998, and the percent change, 1991 to 1998, are also presented. Tabular and graphical descriptions of the trends in teenage birth rates for the United States and each state are discussed by age, race, and Hispanic origin of the mother. Birth rates for teenagers 15 to 19 years old declined nationally between 1991 and 1998 for all age and race and Hispanic origin populations, with the steepest declines recorded for Black teenagers. State-specific rates fell significantly in all states for ages 15 through 19 years. Declines ranged from 10 to 38%. In general, rates by state fell more for younger than older teenagers, ranging by state from 10 to 46% for ages 15 to 17 years. Statistically significant reductions for older teenagers ranged from 3 to 39%. Reductions by state were largest for black teenagers 15 to 19 years, with rates falling 30% or more in 15 states. Among the factors accounting for these declines are decreased sexual activity, increased condom use, and the adoption of the implant and injectable contraceptives. (SLD)



NATIONAL VITAL STATISTICS REPORTS Vol. 48, No. 6 April 24, 2000

VARIATIONS IN TEENAGE BIRTH RATES, 1991-98: NATIONAL AND STATE TRENDS by Stephanie J. Ventura, Sally C. Curtin, T. J. Mathews

> Centers for Disease Control and Prevention **National Center for Health Statistics**

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement Office of Educational Research and Improvement EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

This document has been reproduced as received from the person or organization briginating it.

Minor changes have been made to improve reproduction quality.

Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

BEST COPY AVAILABLE



National Vital Statistics Reports

From the CENTERS FOR DISEASE CONTROL AND PREVENTION National Center for Health Statistics National Vital Statistics System



Volume 48, Number 6 April 24, 2000

Variations in Teenage Birth Rates, 1991–98: National and State Trends

by Stephanie J. Ventura, M.A.; Sally C. Curtin, M.A.; and T. J. Mathews, M.S; Division of Vital Statistics

Abstract

Objectives—This report presents national birth rates for teenagers for 1991–98 and the percent change, 1991–98. State-specific teenage birth rates by age, race, and Hispanic origin for 1991 and 1998 and the percent change, 1991 to 1998, are also presented.

Methods—Tabular and graphical descriptions of the trends in teenage birth rates for the Nation and each State, by age group, race, and Hispanic origin of the mother, are discussed.

Results—Birth rates for teenagers 15–19 years declined nationally between 1991 and 1998 for all age and race and Hispanic origin populations, with the steepest declines recorded for black teenagers. State-specific rates fell significantly in all States for ages 15–19 years; declines ranged from 10 to 38 percent. In general, rates by State fell more for younger than for older teenagers, ranging by State from 10 to 46 percent for ages 15–17 years. Statistically significant reductions for older teenagers ranged from 3 to 39 percent. Reductions by State were largest for black teenagers 15–19 years, with rates falling 30 percent or more in 15 States. Among the factors accounting for these declines are decreased sexual activity, increases in condom use, and the adoption of the implant and injectable contraceptives.

Keywords: teenage fertility • State-specific birth rates • race and Hispanic origin • teenage pregnancy

Introduction

The birth rate for U.S. teenagers in 1998 was 51.1 live births per 1,000 women aged 15–19 years, 2 percent lower than in 1997, and 18 percent lower than in 1991 when it reached its recent peak (table 1 and figure 1). The 1998 rate is close to the 1986 record low of 50.2 (1, 2).

The number of births to women aged 15–19 years increased only slightly to 484,895 in 1998, compared with 483,220 in 1997; the 1998 total was still 7 percent lower than the recent high in 1990 of 521,826. The 3-percent increase in the number of teenage females in the population between 1997 and 1998 accounts entirely for the modest rise in the number of births (3).

The major shift in teenage childbearing patterns over the last half century has been the general decline in the birth *rate* whereas the proportion of teenage births that occur to unmarried women has risen steeply (figure 1).

Details of trends and variations in teenage pregnancy and childbearing in the 1990's, including some discussion of the health consequences and the demographic and behavioral changes accounting for the recent trends, have been published in recent reports (1, 2, 4). This report updates the findings through 1998 for national and State data.

Teenage birth and pregnancy rates fall

When data on live births are combined with information for induced abortions and fetal losses, we are able to compute pregnancy rates. The most recent year for which teenage pregnancy rates can be computed is 1996, because information on abortions and fetal losses is not as current as information on live births. The estimated teenage pregnancy rate in 1996 was 98.7 pregnancies (the sum of live births, induced abortions, and fetal losses) per 1,000 women aged 15–19, down 15 percent from its high point of 116.5 in 1991 (4). A consistent series of pregnancy rates for teenagers is available since 1976; the 1996 rate is lower than in any year since 1976. The rate for young teenagers 15–17 years fell 16 percent from its recent peak (80.3 per 1,000 in 1990) to 67.8 in 1996, while the rate for older teenagers dropped 12 percent from its recent peak in 1991 (167.2) to 146.4 in 1996.

Acknowledgments

This report was prepared in the Reproductive Statistics Branch (RSB) of the Division of Vital Statistics (DVS). Janet Gutierrez and Melissa Park of RSB provided content review. The report was edited by Demarius V. Miller, typeset by Jacqueline M. Davis, and graphics were produced by Jarmila Ogburn of the Publications Branch, Division of Data Services.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention National Center for Health Statistics








Figure 1. Birth rate for teenagers 15–19 years and percent of teenage births to unmarried teenagers: United States, 1950–98

Birth rates decline for teenagers in all age groups

The birth rate for the youngest age group, 10–14 years, fell to 1.0 per 1,000 (table 1), its lowest level since 1969 (also 1.0). Moreover, the *number* of births to teenagers in this age group fell to 9,462 in 1998, down 7 percent from 1997 and down 27 percent from its recent high in 1994 (12,901 births).

The birth rate for teenagers 15–17 years reached a record low in 1998, 30.4 per 1,000, declining 5 percent from 1997 to 1998, and 21 percent from 1991. The decline in the 1990's essentially reverses the 27-percent increase in the rate from 1986 (30.5) to 1991 (38.7). The number of births in this age group dropped to 173,231, the lowest number since 1987 (1).

The birth rate for teenagers 18–19 years declined 2 percent in 1998, to 82.0. This rate has dropped 13 percent since its 1992 high of 94.5. The number of births in this age group, however, increased 3 percent, reflecting the 5-percent increase in the number of teenage females 18–19 years (3).

Most teenage births are to unmarried women

The overall teenage birth rate has been declining since 1991, and the birth rate for *unmarried* teenagers has fallen since 1994 (1, 2). Despite these declines, the proportion of births to teenagers that were unmarried continued to increase in 1998, as it has over the past both continued to increase in 1998, as it has over the past both continued (figure 1). The proportion unmarried rose to 78.9 percent

for all teenage births, up from 78.2 percent in 1997. For teenagers 15–17 years, the percent unmarried increased from 86.7 to 87.5 percent, whereas for older teenagers, it rose from 72.5 to 73.6 percent (table A).

Both the total number of births to teenagers 15–17 years and the number of births to unmarried teenagers 15–17 years declined between 1997 and 1998. However, the total number declined even more than the number of nonmarital births. As a result the percent unmarried for teenagers 15–17 years continued to increase.

Although the proportion of teenage births that are nonmarital continues to rise, it is still the case that most births to unmarried women are not to teenagers. In 1998, 70 percent were to women aged 20 years and over, compared with about half in the mid-1970's.

Birth rates fall most steeply for black teenagers

Birth rates have dropped sharply for black teenagers since 1991, declining overall by 26 percent, from 115.5 in 1991 to 85.4 per 1,000 teenagers 15–19 years in 1998 (table 1), lower than in any year since 1960, when data for black women first became available (1). The rate for Hispanic women has declined steadily since 1994 (107.7), and was 93.6 in 1998, dropping 13 percent in 4 years. Despite these declines, birth rates for black and Hispanic teenagers continue to be higher than for other groups; the rates for Hispanic teenagers have been higher than for black teenagers since 1994. Asian or Pacific Islander (API) teenagers have the lowest rate (23.1 in 1998).

The birth rate for non-Hispanic white teenagers declined 19 percent during 1991–98, to 35.2 per 1,000 in 1998, while the rates for American Indian and API teenagers declined 15 to 16 percent each between 1991 and 1998, to 72.1 and 23.1, respectively (table 1). In each race and Hispanic origin group, birth rates declined more for young teenagers 15–17 years than for their older counterparts (figures 2 and 3).

Serious health consequences for teenage childbearing

Teenage mothers are much less likely than older women to receive timely prenatal care (figure 4), although timely care has improved in the 1990's for women in all age groups (2). In addition, teenage mothers are more likely to smoke during pregnancy.

Table A. Number of total births and percent of births to unmarried women, all ages and women under 20 years: United States, 1997–98

| | Total | births | unma | ns to arried men | | cent arried |
|----------------|-----------|-----------|-----------|------------------------|------|----------------|
| Age of mother | 1998 | 1997 | 1998 | 1997 | 1998 | 1997 |
| All ages | 3,941,553 | 3,880,894 | 1,293,567 | 1,257,444 | 32.8 | 32.4 |
| Under 20 years | 494,357 | 493,341 | 390,005 | 385,802 | 78.9 | 78.2 |
| Under 15 years | 9,462 | 10,121 | 9,137 | 9,685 | 96.6 | 95.7 |
| 15-19 years | 484.895 | 483,220 | 380,868 | 376,117 | 78.5 | 77.8 |
| 15-17 years | 173,231 | 180,154 | 151,557 | 156,253 | 87.5 | 86.7 |
| 18-19 years | 311,664 | 303,066 | 229,311 | 219,864 | 73.6 | 72.5 |




Figure 2. Birth rate for teenagers 15-17 years by race and Hispanic origin: United States, 1980-98

Moreover, unlike smoking rates for older women that have declined steadily in the 1990's, smoking by pregnant teenagers has increased since 1994 (2, 6). As a consequence of these and other factors, including less adequate weight gain during pregnancy, infants born to teenagers are at elevated risk of low birthweight, of preterm birth, and of dying in the first year of life (2, 7).

Teenage birth rates vary greatly by State

Birth rates vary substantially by State and territory. In 1998 the State rates per 1,000 women aged 15–19 years ranged from 24.4 (Vermont) to 73.0 (Mississippi) (tables 2, 3, and figure 5). The rate for the District of Columbia was 86.7; the highest rate reported was for Guam (104.8).

As previously reported, differences in overall rates by State reflect in part the differences in the composition of the teenage populations of the States by race and Hispanic origin (1, 5, 6). This report includes, for the first time, birth rates for 1991 and 1998 for American Indian and API teenagers 15–19 years for all States for which these rates could be reliably computed (table 4). Rates within States are generally much higher for Hispanic and black teenagers than for non-Hispanic white, American Indian, and API teenagers. This pattern is found in 1998 for all but 10 States for which reliable rates could be computed (table 4). Therefore, States with relatively high proportions of Hispanic and/or enagers would be expected to have higher overall teenage birth




Figure 3. Birth rate for teenagers 18-19 years by race and Hispanic origin: United States, 1980-98

rates. These compositional differences should be kept in mind when comparing teenage birth rates across States (8).

Rates by State decline for younger and older teenagers

Between 1991 and 1998, birth rates for teenagers 15–19 years fell in all States, the District of Columbia, and the Virgin Islands, with statistically significant reductions in all areas except Puerto Rico and Guam, which increased (table 2 and figure 6). Declines exceeded 20 percent in 13 States and the District of Columbia.

Birth rates for teenage subgroups also vary greatly by State and territory. Rates for teenagers 15–17 years fell significantly in all States except Wyoming. Changes in the Virgin Islands and Guam were not significant; the rate increased in Puerto Rico. Declines exceeded 20 percent in 25 States and the District of Columbia. The rates for the District of Columbia, Maine, Michigan, and Vermont declined at least 30 percent.

State-specific rates for older teenagers 18–19 years also fell but not as steeply as for younger teenagers. Statistically significant reductions were reported for all but four States and Puerto Rico. Changes in Rhode Island and Guam were not significant. Rates fell significantly by 20 percent or more in seven States and the Virgin Islands.




Figure 4. Selected characteristics for teenage mothers and mothers aged 20 years and over: United States, 1998

Rates by State decline most sharply for black teenagers

Birth rates for black teenagers could be reliably computed for 39 States and the District of Columbia for both 1991 and 1998 (table 4). State-specific rates fell significantly everywhere except for West Virginia and the District of Columbia. Statistically significant declines ranging from 19 percent to 43 percent were found for all of the 38 States; declines exceeded 30 percent in 15 States.

State-level birth rates for non-Hispanic white teenagers declined in all States. Reductions, which ranged from 6 to 63 percent, were statistically significant in all States except Delaware and the District of Columbia, and exceeded 30 percent in five States.

Teenage birth rates for Hispanic teenagers could be reliably computed for both 1991 and 1998 for 37 States; rates for 1998 alone are available for 42 States. As noted earlier, rates for Hispanic teenagers nationally began declining more recently—after 1994—so the overall declines are smaller than for other population groups. Thus, reductions were found in fewer States; Rates fell significantly in 12 States, while increasing in 10 States. Substantial population increases due to immigration have affected rates in several States (5).

As was the case for black and Hispanic teenagers, birth rates for American Indian and API teenagers could not be reliably computed for all States for 1991 and 1998, reflecting in part the substantial geographic constration of the American Indian and API populations. In addition,

the low birth rates for API teenagers reflect very small absolute numbers of births in many States. Rates for American Indian teenagers are available for both years for 18 States; rates for 1998 alone are available for 23 States. Rates fell significantly in 10 States.

Birth rates for API teenagers are available for both 1991 and 1998 for 31 States, and for 1998 alone for 35 States. Changes were not significant for 26 States; rates for four States fell significantly whereas the rate for one State (North Carolina) increased significantly.

Factors affecting teenage birth rates in the 1990's

As noted earlier, teenage pregnancy rates have declined considerably in the 1990's with declines found for all three pregnancy outcomes—live birth, induced abortion, and fetal loss. The overall pregnancy rate and the induced abortion rate in 1996 are at their lowest in at least two decades (4). Pregnancy and birth rates fell after 1991, while the abortion rate began to decline after 1988.

In the mid-1990's, from 1996 to 1998, all of the decline in the teenage birth rate has been due to the decline in the first birth rate; the decline earlier in the decade in the rate of second births to teenagers who had already had one birth appears to have halted, at least temporarily, since 1996. The rate had declined 21 percent during 1991–96 (2, 4).

Several factors likely account for the falling teenage birth (and pregnancy) rates. One is changing attitudes toward premarital sex, possibly reflecting the influence of widespread public and private efforts focusing teenagers' attention on the importance of pregnancy prevention through abstinence and responsible behavior (9). Teenage sexual activity has leveled off according to several national surveys (4, 8, 9). Also important are increases in condom use and the adoption of the effective injectable and implant contraceptives (4, 10, 12). Another factor is the long economic expansion in the 1990's, increasing economic opportunity for teenagers (as well as older women). Economic opportunity may have given teenagers a reason to more highly value education and work and to postpone early pregnancy and parenthood.

References

- Ventura SJ, Mathews TJ, Curtin SC. Declines in teenage birth rates, 1991–97: National and State patterns. National vital statistics reports; vol 47 no 12. Hyattsville, Maryland: National Center for Health Statistics. 1998.
- Ventura SJ, Martin JA, Curtin SC, Mathews TJ, Park MM. Births: Final data for 1998. National vital statistics reports; vol 48 no 3. Hyattsville, Maryland: National Center for Health Statistics. 2000.
- U.S. Bureau of the Census. U.S. population estimates, by age, sex, race, and Hispanic origin: 1990 to 1998. Washington, DC: U.S. Bureau of the Census, http://www.census.gov/population/www/estimates/ uspop.html. Internet release, June 4, 1999.
- Ventura SJ, Mosher WD, Curtin SC, Abma JC, Henshaw S. Trends in pregnancies and pregnancy rates by outcome: Estimates for the United States, 1976–96. National Center for Health Statistics. Vital Health Stat 21(56). 2000.
- U.S. Bureau of the Census. Estimates of the population of states by age, sex, race, and Hispanic origin: 1990 to 1998. ST-98-31. (SASRH98.TXT) Released Sept 21, 1999.

6




Figure 5. Birth rates for teenagers 15-19 years by State, 1998

- Mathews TJ. Smoking during pregnancy, 1990–96. National vital statistics reports; vol 47 no 10. Hyattsville, Maryland: National Center for Health Statistics. 1998.
- MacDorman MF, Atkinson JO. Infant mortality statistics from the 1997 period linked birth/infant death data set. National vital statistics reports; vol 47 no 23. Hyattsville, Maryland: National Center for Health Statistics. 1999.
- Ventura SJ, Clarke SC, Mathews TJ. Recent declines in teenage birth rates in the United States: Variations by State, 1990–94. Monthly vital statistics report; vol 45 no 5, supp. Hyattsville, Maryland: National Center for Health Statistics. 1996.
- U.S. Department of Health and Human Services. A national strategy to prevent teen pregnancy: Annual report, 1998–99. Washington, DC: U.S. Department of Health and Human Services. 1999.
- Abma JC, Chandra A, Mosher WD, Peterson LS, Piccinino LJ. Fertility, family planning, and women's health: New data from the 1995 National Survey of Family Growth. National Center for Health Statistics. Vital Health Stat 23(19). 1997.
- Centers for Disease Control and Prevention. Trends in sexual risk behaviors among high school students—United States, 1991-1997. MMWR 47(36):749-52. 1998.
- Piccinino LJ, Mosher WD. Trends in contraceptive use in the United States: 1982-1995. Fam Plann Persp 30(1):4-10, 46. 1998.

 National Center for Health Statistics. Vital statistics of the United States, 1998, Vol. 1, natality. Technical appendix. Hyattsville, Maryland: National Center for Health Statistics, http://www.cdc.gov/nchs/births.htm. 2000.

List of detailed tables

| ١. | Births for women under 20 years, by age, race, and Hispanic | |
|----|--|---|
| | origin of mother: United States, 1998, and birth rates, 1990-98, | |
| | and percent change in rates, 1991-98 | • |
| 2. | Birth rates for teenagers 15-19 years, by age group and State | |
| | and territory, and percent change by age: United States, | |
| | 1991–98 | |
| 3. | Birth rates for teenagers 15-19 years, by age and race and | |
| | Hispanic origin: United States and each State, 1998 | 1 |
| ١. | Birth rates for teenagers 15-19 years, by race and Hispanic | |
| | origin: United States and each State, 1991 and 1998, and percent | |
| | change, 1991–98 | 1 |
| | | |






Figure 6. Percent decline in teenage birth rates by State, 1991 to 1998

BEST COPY AVAILABLE

Table 1. Births for women under 20 years, by age, race, and Hispanic origin of mother: United States, 1998, and birth rates, 1990–98, and percent change in rates, 1991–98

[Rates per 1,000 women in specified group]

| | | | | | | Birth rates | | | | | Percent change |
|---|------------------------|-------|-------|-------|-------|-------------|-------|-------|-------|-------|---------------------|
| Age and race and Hispanic origin of mother | Number of births, 1998 | 1998 | 1997 | 1996 | 1995 | 1994 | 1993 | 1992 | 1991 | 1990 | in rates 1991–98 |
| 10-14 years | | | | | | | | | | | |
| otal | 9,462 | 1.0 | 1.1 | 1.2 | 1.3 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | -28.6 |
| /hite, total | 4,801 | 0.6 | 0.7 | 0.8 | 8.0 | 0.8 | 0.8 | 0.8 | 0.8 | 0.7 | -25.0 |
| on-Hispanic white | 2,132 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | -40.0 |
| ack | 4,289 | 2.9 | 3.3 | 3.6 | 4.2 | 4.6 | 4.6 | 4.7 | 4.8 | 4.9 | -39.6 |
| merican Indian ¹ | 197 | 1.6 | 1.7 | 1.7 | 1.8 | 1.9 | 1.4 | 1.6 | 1.6 | 1.6 | 0.0 |
| sian or Pacific Islander | 175 | 0.4 | 0.5 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 0.8 | 0.7 | -50.0 |
| ispanic ² | 2,716 | 2.1 | 2.3 | 2.6 | 2.7 | 2.7 | 2.7 | 2.6 | 2.4 | 2.4 | -12.5 |
| 15-19 years | | | | | | | | | | | |
| otal | 484,895 | 51.1 | 52.3 | 54.4 | 56.8 | 58.9 | 59.6 | 60.7 | 62.1 | 59.9 | -17.7 |
| /hite, total | 340,694 | 45.4 | 46.3 | 48.1 | 50.1 | 51.1 | 51.1 | 51.8 | 52.8 | 50.8 | -14.0 |
| on-Hispanic white | 219,169 | 35.2 | 36.0 | 37.6 | 39.3 | 40.4 | 40.7 | 41.7 | 43.4 | 42.5 | -18.9 |
| lack | 126,937 | 85.4 | 88.2 | 91.4 | 96.1 | 104.5 | 108.6 | 112.4 | 115.5 | 112.8 | -26.1 |
| merican Indian ¹ | 8,201 | 72.1 | 71.8 | 73.9 | 78.0 | 80.8 | 83.1 | 84.4 | 85.0 | 81.1 | -15.2 |
| sian or Pacific Islander | 9,063 | 23.1 | 23.7 | 24.6 | 26.1 | 27.1 | 27.0 | 26.6 | 27.4 | 26.4 | -15.7 |
| ispanic ² | 121,388 | 93.6 | 97.4 | 101.8 | 106.7 | 107.7 | 106.8 | 107.1 | 106.7 | 100.3 | -12.3 |
| 15-17 years | | | | | | | | | | | |
| otal | 173,231 | 30.4 | 32.1 | 33.8 | 36.0 | 37.6 | 37.8 | 37.8 | 38.7 | 37.5 | -21.4 |
| /hite, total | 116,623 | 25.9 | 27.1 | 28.4 | 30.0 | 30.7 | 30.3 | 30.1 | 30.7 | 29.5 | -15.6 |
| on-Hispanic white | 68,619 | 18.4 | 19.4 | 20.6 | 22.0 | 22.8 | 22.7 | 22.7 | 23.6 | 23.2 | -22.0 |
| lack | 50,103 | 56.8 | 60.8 | 64.7 | 69.7 | 76.3 | 79.8 | 81.3 | 84.1 | 82.3 | -32.5 |
| merican Indian ¹ | 3,167 | 44.4 | 45.3 | 46.4 | 47.8 | 51.3 | 53.7 | 53.8 | 52.7 | 48.5 | -15.7 |
| sian or Pacific Islander | 3,338 | 13.8 | 14.3 | 14.9 | 15.4 | 16.1 | 16.0 | 15.2 | 16.1 | 16.0 | -14.3 |
| ispanic ² | 48,234 | 62.3 | 66.3 | 69.0 | 72.9 | 74.0 | 71.7 | 71.4 | 70.6 | 65.9 | -11.8 |
| 18-19 years | | | | | | | | | | | |
| otal | 311,664 | 82.0 | 83.6 | 86.0 | 89.1 | 91.5 | 92.1 | 94.5 | 94.4 | 88.6 | -13.1 |
| /hite, total | 224,071 | 74.6 | 75.9 | 78.4 | 81.2 | 82.1 | 82.1 | 83.8 | 83.5 | 78.0 | -10.7 |
| on-Hispanic white | 150,550 | 60.6 | 61.9 | 63.7 | 66.1 | 67.4 | 67.7 | 69.8 | 70.5 | 66.6 | -14.0 |
| ack | 76,834 | 126.9 | 130.1 | 132.5 | 137.1 | 148.3 | 151.9 | 157.9 | 158.6 | 152.9 | -20.0 |
| merican Indian ¹ | 5,034 | 118.4 | 117.6 | 122.3 | 130.7 | 130.3 | 130.7 | 132.6 | 134.3 | 129.3 | -11.8 |
| sian or Pacific Islander | 5,725 | 38.3 | 39.3 | 40.4 | 43.4 | 44.1 | 43.3 | 43.1 | 43.1 | 40.2 | -11.1 |
| ispanic ² | 73,154 | 140.1 | 144.3 | 151.1 | 157.9 | 158.0 | 159.1 | 159.7 | 158.5 | 147.7 | -11.6 |



¹Includes births to Aleuts and Eskimos. ²Includes all persons of Hispanic origin of any race.

Table 2. Birth rates for teenagers 15–19 years, by age group and State and territory, and percent change by age, 1991–98

| | | 1991 | | | 1998 | | Perc | ent change, 199 | 1–98 |
|----------------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|-------------------|------------------|
| State | 15–19 years | 15–17 years | 18-19 years | 15-19 years | 15–17 years | 18–19 years | 15–19 years | 15–17 years | 18-19 years |
| United States 1 | 62.1 | 38.7 | 94.4 | 51.1 | 30.4 | 82.0 | -17.7 | -21.4 | -13.1 |
| Nabama | 73.9 | 47.7 | 109.5 | 65.5 | 40.7 | 100.4 | -11.4 | -14.7 | -8.3 |
| Naska | 65.4 | 35.3 | 111.7 | 42.4 | 24.8 | 68.6 | -35.2 | -29.7 | -38.6 |
| Arizona | 80.7 | 51.4 | 122.6 | 70.5 | 45.2 | 108.2 | -12.6 | -12.1 | -11.7 |
| Arkansas | 79.8 | 49.4 | 122.8 | 70.8 | 41.4 | 114.0 | -11.3 | -16.2 | -7.2 |
| California | 74.7 | 46.9 | 113.6 | 53.5 | 33.4 | 83.4 | -28.4 | -28.8 | -26.6 |
| Colorado | 58.2 | 35.3 | 91.4 | 48.7 | 29.0 | 79.0 | -16.3 | -17.8 | -13.6 |
| Connecticut | 40.4 | 26.3 | 59.4 | 35.8 | 21.4 | 58.6 | -11.4 | -18.6 | **-1.3 |
| Delaware | 61.1 | 40.3 | 87.1 | 53.9 | 33.9 | 81.7 | -11.8 | -15.9 | **-6.2 |
| District of Columbia | 114.4 | 102.8 | 125.5 | 86.7 | 65.5 | 110.8 | -24.2 | -36.3 | -11.7 |
| Florida | 68.8 | 44.0 | 102.9 | 55.5 | 33.3 | 90.8 | -19.3 | -24.3 | -11.8 |
| Georgia | 76.3 | 50.6 | 110.9 | 65.4 | 40.3 | 102.5 | -14.3 | -20.4 | -7.6 |
| Hawaii | 58.7 | 34.7 | 91.5 | 45.7 | 29.5 | 67.3 | -22.1 | -15.0 | -26.4 |
| daho | 53.9 | 29.3 | 90.8 | 44.8 | 24.5 | 73.1 | -16.9 | 16.4 | -19.5 |
| llinois | 64.8 | 40.6 | 99.1 | 53.2 | 32.7 | 85.0 | -17.9 | -19.5 | -14.2 |
| ndiana | 60.5 | 35.2 | 95.2 | 53.3 | 28.9 | 89.5 | -11.9 | -17.9 | -6.0 |
| owa | 42.6 | 22.8 | 71.5 | 35.2 | 18.6 | 60.3 | -17.4 | -18.4 | -15.7 |
| Kansas | 55.4 | 29.4 | 94.1 | 47.0 | 24.8 | 81.1 | -15.2 | -15.6 | -13.8 |
| Centucky | 68.9 | 42.6 | 105.5 | 57.0 | 31.5 | 94.2 | -17.3 | - 26.1 | -10.7 |
| ouisiana | 76.1 | 51.1 | 111.4 | 65.4 | 40.4 | 100.6 | -14.1 | - 20.9 | - 9.7 |
| Maine | 43.5 | 23.8 | 70.1 | 30.4 | 14.9 | 54.5 | -30.1 | -37.4 | -22.3 |
| Maryland | 54.3 | 35.2 | 79.8 | 43.1 | 26.4 | 69.2 | -20.6 | -25.0 | -13.3 |
| Massachusetts | 37.8 | 25.2 | 52.9 | 30.8 | 18.2 | 49.5 | -18.5 | <i>–</i> 27.8 | -6.4 |
| Michigan | 59.0 | 35.5 | 91.1 | 42.6 | 23.9 | 70.9 | -27.8 | -32.7 | -22.2 |
| Minnesota | 37.3 | 20.7 | 61.4 | 30.6 | 16.5 | 52.7 | -18.0 | -20.3 | -14.2 |
| Mississippi | 85.6 | 60.1 | 120.4 | 73.0 | 47.2 | 110.3 | -14.7 | -21.5 | -8.4 |
| Missouri | 64.5 | 38.7 | 100.7 | 51.2 | 28.6 | 85.7 | - 20.6 | - 26.1 | -14.9 |
| Montana | 46.7 | 23.6 | 83.0 | 37.1 | 19.8 | 63.3 | -20.6 | -16.1 | -23.7 |
| Nebraska | 42.4 | 23.6 | 69.2 | 37.0 | 20.5 | 61.6 | -12.7 | -13.1 | -11.0 |
| Nevada | 75.3 | 43.9 | 119.1 | 65.7 | 38.2 | 109.5 | -12.7 | -13.0 | -8.1 |
| New Hampshire | 33.3 | 17.1 | 53.8 | 27.1 | 13, 1 | 50.0 | -18.6 | -23.4 | ** -7.1 |
| New Jersey | 41.6 | 26.3 | 62.9 | 34.6 | 20.2 | 56.9 | -16.8 | -23.2 | -9.5 |
| New Mexico | 79.8 | 50.0 | 124.4 | 69.0 | 44.2 | 107.5 | -13.5 | -11.6 | -13.6 |
| New York | 46.0 | 29.1 | 69.0 | 38.5 | 22.4 | 62.4 | -16.3 | -23.0 | -9.6 |
| North Carolina | 70.5 | 46.2 | 101.7 | 61.0 | 36.2 | 98.5 | -13.5 | -21.6 | -3.1 |
| North Dakota | 35.6 | 18.1 | 62.4 | 30.4 | 16.1 | 52.5 | -14.6 | -11.0 | -15.9 |
| Ohio | 60.5 | 36.2 | 93.8 | 48.1 | 26.7 | 80.3 | -20.5 | -26.2 | -14.4 |
| Oklahoma | 72.1 | 41.7 | 115.6 | 61.6 | 35.0 | 102.6 | -14.6 | -16.1 | -11.2 |
| Oregon | 54.9 | 31,3 | 90.7 | 47.4 | 26.3 | 80.0 | -13.7 | -16.0 | -11.8 |
| Pennsylvania | 46.9 | 29.2 | 70.5 | 36.9 | 21.8 | 60.2 | -21.3 | -25.3 | -14.6 |
| Rhode Island | 45.4 | 30.1 | 63.6 | 41.0 | 24.4 | 65.8 | - 9.7 | -18.9 | **3.5 |
| South Carolina | 72.9 | 48.0 | 105.4 | 60.4 | 39.6 | 89.8 | -17.1 | -17.5 | -14.8 |
| South Dakota | 47.5 | 26.3 | 79.2 | 38.5 | 19.6 | 66.0 | -18.9 | -25.5 | -16.7 |
| Tennessee | 75.2 | 47.8 | 112.1 | 64.3 | 37.7 | 103.4 | -14.5 | -21.1 | - 7.8 |
| exas | 78.9 | 50.4 | 119.3 | 70.9 | 45.2 | 109.3 | -10.1 | -10.3 | -8.4 |
| Jtah | 48.2 | 27.0 | 79.8 | 40.9 | 22.2 | 65.6 | -15.1 | -17.8 | -17.8 |
| fermont | 39.2 | 21.3 | 62.0 | 24.4 | 11.4 | 44.6 | -37.8 | -46.5 | -28.1 |
| firginia | 53.5 | 31.8 | 81.2 | 43.5 | 24.3 | 70.7 | -18.7 | -23.6 | -12.9 |
| Vashington | 53.7 | 31.0 | 86.5 | 41.7 | 23.2 | 69.6 | -22.3 | -25.2 | -19.5 |
| Vest Virginia | 57.8 | 32.4 | 93.2 | 49.2 | 26.2 | 81.5 | -14.9 | -19.1 | -12.6 |
| Visconsin | 43.7 | 24.8 | 71.2 | 34.8 | 19.6 | 58.1 | -20.4 | -21.0 | -18.4 |
| Vyoming | 54.2 | 26.4 | 98.6 | 47.8 | 22.8 | 86.5 | -11.8 | **-13.6 | -12.3 |
| Puerto Rico | | | 105.0 | | 54.4 | 102.2 | | | **-3.4 |
| <u> </u> | 72.4 77.0 | 50.8 | 105.9 | 74.3 | | 102.3 | 2.6 | 7.1 ••–17.5 | |
| Virgin Islands | 77.9 | 48.6 | 124.0 | 62.0 | 40.1 | 94.5 | -20.4 | -17.5 | -23.8 |
| Guam | 95.7 | 55.0 | 156.1 | 104.8 | 60.4 | 176.1 | 9.5 | **9.8 | **12.8 |
| American Samoa | ••• | ••• | ••• | 43.9 | 17.3 | 86.4 | ••• | ••• | ••• |
| Northern Marianas | ••• | • • • | • • • | 65.5 | 50.4 | 83.7 | • • • | ••• | • • • |

^{**} Not significant at p < 0.05.



^{- - -} Data not available.

¹Excludes data for the territories.

NOTE: Birth rates by State shown in this table are based on population estimates provided by the U.S. Bureau of the Census and, therefore, the rates shown here may differ from rates computed on the basis of other population estimates.

12

Table 3. Birth rates for teenagers 15-19 years, by age and race and Hispanic origin: United States and each State, 1998 Table 3. Birth rates for teenagers 15—[Rates are births per 1,000 women in specified group]

| | | | 15-19 years | | | | | 15-17 years | | | | | 18-19 years | | |
|----------------------|---|-------------------|---------------|-------------------------|-----------------------|-----------------------|----------------|--|--------------|-----------------------|---------------|---------------|--------------|-------|-----------------------|
| | | | White | | | | | White | | | | | White | i | |
| State | All | Total | Non-Hispanic | Black | Hispanic ¹ | All | Total | Non-Hispanic | Black | Hispanic ¹ | ¥ | Total | Non-Hispanic | Black | Hispanic ¹ |
| United States | 51.1 | 45.4 | 35.2 | 85.4 | 93.6 | 30.4 | 25.9 | 18.4 | 56.8 | 62.3 | 82.0 | 74.6 | 9:09 | 126.9 | 140.1 |
| Alabama | 65.5 | 53.8 | 52.9 30.5 | 88.6 | 99.9 | 40.7 24.8 | 30.5 | 29.7 | 61.9 | 72.8 | 100.4 | 88.1 54.8 | 87.0 | 123.3 | • • |
| Arizona | 70.5 | 70.4 | 41.3 | 76.4 | 124.7 | 45.2 | 45.2 | 22.9 | 50.3 | 87.9 | 108.2 | 107.4 | 5.89 8.89 | 114.0 | 177.5 |
| Arkansas | 70.8 | 62.2 | 60.3 | 9.66 | 110.7 | 41.4 | 32.7 | 31.4 | 71.5 | 68.4 | 114.0 | 106.6 | 104.0 | 137.8 | 170.8 |
| California | 53.5 | 58.1 | 27.7 | 64.0 26.0 | 87.1 | 33.4 | 36.5 | 4.4 | 0.0 | 7 28 | 83.4 | 89.7 | 47.5 | 97.4 | 129.0 |
| Connecticut. | 35.8 35.8 | 30.5 | 30.6 17.1 | 77.3 | 113.8 | 21.4 | 17.6 17.6 | 0.00 0.00 | 5.15 5.15 | 79.7 79.4 | 0.87 28.6 | 51.0 | 31.5 | 118.8 | 171.9 179.0 |
| Delaware | 53.9 | 39.0 | 34.2 | 104.0 | 112.1 | 33.9 | 22.9 | 19.7 | 6.69 | • | 81.7 | 60.5 | 53.5 | 152.8 | • |
| District of Columbia | 25 .7 57 .7 | 20.9 46.5 | 5.4 41.8 | 141.7 | . 80 | 95.5 33.3 | 25.9 26.1 | . 666 | 79.9 50.1 | • 6 8 | 110.8 90.8 | 18.8 79.1 | 4.8 8.8 | 300.6 | • 0 |
| Georgia | 65.4 | 54.7 | 50.1 | 87.0 | 127.5 | 40.3 | 30.7 | 27.9 | 59.4 | 78.9 | 102.5 | 6.06 | 84.0 | 126.0 | 197.7 |
| Hawaii. | 45.7 | 17.2 | 14.2 | 34.7 | 96.0 | 29.5 | 6.9 | 4.7 | • | 79.3 | 67.3 | 29.8 | 25.8 | • | 117.8 |
| Idaho | 6.44 6.63 | 44.6 | 38.9 | | 101.3 | 24.5 | 24.3 | 19.5 | • 6 | 72.8 | 73.1 | 73.0 | 65.9 | • (| 140.0 |
| Indiana | 53.5 7. 65. | 48.0 | 28.7 46.0 | 102.9 | 99.7 | 32.7 28.9 | 24.9 | 23.5 | 65.1 | . 5 | 89.5 89.5 | 82.2 | 6.06 79.3 | 160.8 | 158.0 |
| lowa | 35.2 | 33.5 | 31.5 | 93.4 | 106.6 | 18.6 | 17.4 | 16.2 | 59.3 | 63.7 | 60.3 | 57.8 | 54.6 | 139.4 | 174.5 |
| Kansas | 47.0 | 43.3 | 38.1 | 96.6 | 106.7 | 24.8 | 22.0 | 18.4 | 57.3 | 65.4 | 81.1 | 76.0 | 68.2 | 154.0 | 171.2 |
| Nentucky | 57.0 65.4 | 54.1 45.4 | 53.9 45.8 | . 6 6 7 8 7 | 3. C. | 31.5 | 23.53 23.53 | 25. 26. 27. 26. | 56.0 67.0 | . t | 94.2 2.6.6 | 9.E | 90.4 | 133.0 | • 0 |
| Maine | 30.4 | 30.0 | 29.9 | 3 | ; • | 14.9 | 14.6 | 14.5 | | 2 * | 54.5 | 54.2 | 54.1 | • | • |
| Maryland | 43.1 | 29.6 | 27.6 | 73.5 | 52.6 | 56.4 | 15.9 | 14.6 | 50.1 | 32.0 | 69.2 | 51.2 | 48.2 | 109.6 | 82.0 |
| Massachusetts | 30.8 | 27.5 | 19.9 | 71.3 | 106.3 | 18.2 | 15.4 | 9.7 | 45.4 | 72.1 | 49.5 | 45.5 | 35.1 | 114.7 | 161.0 |
| Michael Minnesota | 3 5.6 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6 | 34.6 24.5 | 32.1 9.19 | 84.6 115.4 | 87.9 130.2 | 23.9 16.5 | 18.0 | 16.4 4.01 | 55.0 74.3 | 52.7 88.5 | 70.9 7.0.7 | 59.8 43.8 | 56.0 40.0 | 128.6 | 140.8 |
| Mississippi | 73.0 | 53.7 | 53.4 | 95.1 | • | 47.2 | 30.3 | 30.1 | 67.1 | 3 | 110.3 | 88.5 | 88.2 | 134.3 | 2 * |
| Missouri | 51.2 | 44.2 | 43.2 | 97.6 | 81.7 | 28.6 | 23.1 | 22.4 | 64.7 | 52.3 | 85.7 | 76.4 | 75.2 | 148.9 | 122.1 |
| Montana | 37.1 | 31.6 | 30.4 | • ; | • ; | 19.8 | 16.0 | 15.0 | • ! | • | 63.3 | 54.9 | 53.4 | • | • |
| Nebraska | 37.0 | 33.7 | 29.4 4.6.4 | 9.0 | 99.3 | 20.5 | 18.0 | 14.9 0.4.9 | 55.5 | 64.3 | 61.6 | 57.0 | 50.8 | 125.0 | 154.9 |
| New Hampshire | 27.1 | 27.2 | 45.4 26.7 | <u>.</u> | 7: | 13.1 | 13.0 | 2 7 .3 | | P. • | 50.0 | 50.5 | 92.2 49.8 | 6.4.3 | c; • |
| New Jersey | 34.6 | 25.6 | 13.6 | 80.4 | 76.2 | 20.5 | 14.2 | 9.9 | 52.0 | 47.6 | 56.9 | 43.3 | 24.8 | 120.9 | 117.5 |
| New Mexico | 0.69 | 69.7 | 39.6 | 57.1 | 93.0 | 44.2 | 44.8 | 20.1 | 41.3 | 64.6 | 107.5 | 107.9 | 70.1 | • ; | 136.6 |
| North Carolina | 38.5 | 9.55 9.63 | 27.5 | 61.4 4.7 | 75.5 | 4. 6 | 19.2 | 10.9 | 37.8 | 46.9 | 62.4 4.29 | 55.1 | 37.0 | 98.4 | 118.2 |
| North Dakota | 30.4 | 24.6 | 24.0 | . • 5 | 9.0 | 16.2 | 11. | ++++++++++++++++++++++++++++++++++++++ | • | 6.5 | 20 CC | 03.0 44.2 | 43.1 | • | <u>.</u> |
| Ohio | 48.1 | 40.6 | 39.6 | 96.8 | 83.1 | 26.7 | 21.0 | 20.3 | 63.6 | 50.8 | 80.3 | 70.1 | 68.7 | 145.5 | 130.8 |
| Oklahoma | 61.6 | 56.0 | 52.2 | 85.0 | 110.6 | 35.0 | 30.2 | 27.0 | 55.4 | 76.8 | 102.6 | 95.8 | 8.06 | 124.6 | 164.4 |
| Oregon | 4.74 | 46.9 | 40.2 | 72.2 | 113.9 | 26.3 | 25.7 | 21.0 | 49.4 | 43.4 | 0.0 | 79.5 | 66.6 | 105.4 | 174.5 |
| Rhode Island. | 6.04 9.00 | 8, 6, 6, 6, 6, | 27.3 | 96.6 74.2 | 129.1 | 24.4 | 21.4 | 3.4 4.8 | 4.1 | 20.5 79.6 | 50.2 65.8 | 6.09 0.09 | 45.6 | 190.0 | 169. |
| South Carolina | 60.4 | 48.2 | 47.2 | 80.3 | 80.8 | 39.6 | 29.3 | 28.6 | 56.3 | 53.5 | 89.8 | 74.7 | 73.4 | 114.6 | • |
| South Dakota | 38.5 | 28.7 | 28.3 | • | • | 19.6 | 13.3 | 12.9 | • | • | 0.99 | 50.1 | 49.7 | • | • |
| Tennessee | 64.3 | 55.0 | 53.8 | 98.9 | 113.9 | 37.7 | 29.6 | 28.9 | 0.89 | 66.4 | 103.4 | 92.7 | 6.06 | 141.8 | • |
| lexas | 6.04 9.09 | 40.1 | 43.4 33.7 | `. | 106.3 | 5 5 5 6 7 | 2.5.5 6.5.5 | 23.3 16.8 | | 73.4 83.5 | 109.3 65.6 | 110.2 64.3 | 73.5 55.9 | 121.3 | 156.0 |
| | : | ; ! | ; ; ; | | | ļ |) ! ! | <u>;</u> | | ; | ; | ; | <u>}</u> | | : |

See footnotes at end of table.

Table 3. Birth rates for teenagers 15–19 years, by age and race and Hispanic origin: United States and each State, 1998—Con.

[Rates are births per 1,000 women in specified group]

| | | | 15-19 years | | | | | 15-17 years | | | | | 18-19 years | | |
|---------------|------|-------|--------------------|-------|-----------------------|------|-------|--------------|-------|----------|------|-------|--------------|-------|-----------------------|
| | | | White | | | | | White | | | | | White | | |
| State | ₹ | Total | Total Non-Hispanic | Black | Hispanic ¹ | ¥ | Total | Non-Hispanic | Black | Hispanic | ₹ | Total | Non-Hispanic | Black | Hispanic ¹ |
| Vermont | 24.4 | 24.6 | 24.9 | | | 11.4 | 11.4 | 11.5 | | | 44.6 | 45.3 | 46.0 | • | • |
| Virginia | 43.5 | 8.45 | 32.3 | 74.6 | 64.7 | 24.3 | 17.3 | 16.3 | 47.8 | 33.7 | 70.7 | 58.6 | 55.2 | 111.3 | 107.0 |
| Washington | 41.7 | 40.9 | 34.3 | 65.9 | 101.0 | 23.2 | 52.6 | 17.9 | 34.3 | 65.7 | 9.69 | 68.4 | 58.9 | 104.6 | 153.3 |
| West Virginia | 49.2 | 48.5 | 48.6 | 72.4 | • | 26.2 | 25.7 | 25.7 | 8.44 | • | 81.5 | 80.8 | 81.1 | 105.3 | • |
| Wisconsin | 8.8 | 26.2 | 23.2 | 126.7 | 104.2 | 19.6 | 13.3 | 11.2 | 84.0 | 65.5 | 58.1 | 45.7 | 41.3 | 197.6 | 167.5 |
| Wyoming | 47.8 | 45.9 | 42.6 | • | 88.8 | 87.8 | 21.5 | 19.1 | • | • | 86.5 | 83.7 | 79.1 | • | • |
| | | | | | | | | | | | | | | | |

Figure does not meet standards of reliability or precision (based on fewer than 20 births or fewer than 1,000 women in specified group).
 Persons of Hispanic origin may be of any race.

NOTES: Rates by race and Hispanic origin cannot be computed for the territories because populations are not available by race and Hispanic origin for these areas. Birth rates shown in this table are based on populations provided by the U.S. Bureau of the Cersus and, therefore, may differ from those computed on the basis of other population estimates.



BEST COPY AVAILABLE

Table 4. Birth rates for teenagers age 15–19 years, by race and Hispanic origin: United States and each State, 1991 and 1998, and percent change, 1991–98

[Rates are births per 1,000 women in specified group]

| duois are control to the control of | | Non Linna | didu. | | Joria | | | Amorina India | acibal | Š | io de la companya de | Acion or Desific Inforder | | Ligaçin | |
|---|------|--------------------|---------------------------|-------|--------------|---------------------------|-------|---------------|---------------------------|------|--|---------------------------|-------|----------|---------------------------|
| | | NOTI-DISPANIC WINE | IIC WILLE | | DIACK | | | American | mulan | £ | ian or rad | iic islander | | nispanic | <u>2</u> |
| State | 1991 | 1 1998 | Percent change 1991–98 | 1991 | P 8661 | Percent change 1991–98 | 1991 | 1998 | Percent change 1991–98 | 1991 | 1998 | Percent change 1991–98 | 1991 | 1998 | Percent change 1991–98 |
| United States | 43.4 | 35.2 | -18.9 | 115.5 | 85.4 | -26.1 | 85.0 | 72.1 | -15.2 | 27.4 | 23.1 | -15.7 | 106.7 | 93.6 | -12.3 |
| Alabama | 56.4 | 52.9 | 6.2 | 111.0 | 98.6 | -20.2 | • | • | • | • | 18.7 | • | • | 6.66 | • |
| Alaska | 50.8 | 30.5 | 40.0 | ٠ | 49.3 | • | 115.3 | 77.3 | -33.0 | • | 40.3 | • | • | 65.0 | • |
| Arizona | 53.5 | 41.3 | -22.8 | 126.7 | 76.4 | -39.7 | 103.8 | 83.4 | -19.7 | 27.8 | 21.3 | **-23.4 | 131.1 | 124.7 | 6.7 |
| Arkansas | 66.8 | 60.3 | -9.7 | 127.3 | 9.66 | -21.8 | • | • | • | • | • | • | • | 110.7 | • |
| California | 45.9 | 27.7 | -35.4 | 98.7 | 64.0 | -35.2 | 50.9 | 47.0 | 7.7-** | 27.9 | 50.0 | -28.3 | 122.4 | 87.1 | -28.8 |
| Colorado | 40.2 | 30.6 | -23.9 | 122.3 | 76.3 | -37.6 | 76.3 | 76.4 | ••0.1 | 35.5 | 26.4 | **-25.6 | 118.7 | 113.8 | ‡ - |
| Connecticut | 20.4 | 17.1 | -16.2 | 98.4 | 77.3 | -21.4 | • | • | • | 19.1 | 13.2 | •-30.9 | 131.9 | 117.7 | -10.8 |
| Delaware | 37.5 | 34.2 | æ, æ, | 134.0 | 104.0 | -22.4 | • | • | • | • | • | • | • | 112.1 | • |
| District of Columbia | 10.2 | 5.4 | . 47.1 | 135.3 | 141.7 | 7.4. | • ; | • ; | • | • | • | • ! | • | • | • : |
| Florida | 9.09 | 41.8 | -17.4 | 132.4 | 98.1 | -33.5 | 61.5 | 62.1 | 1.0 | 15.8 | 19.2 | **21.5 | 60.5 | 60.8 | * 0.5 |
| Georgia | 54.7 | 50.1 | -8. 4. | 118.4 | 0.78 | -26.5 | • | • | • | 28.1 | 19.3 | *-31.3 | 90.5 | 127.5 | 40.9 |
| Hawaii. | 37.9 | 14.2 | -62.5 | • | 34.7 | • | • | • | • | 64.7 | 58.4 | -9.7 | 116.0 | 96.0 | -17.2 |
| Idaho | 48.9 | 38.8 | -20.7 | • | • | • | • | • | • | • | • | • | 124.9 | 101.3 | -18.9 |
| Illinois | 36.9 | 28.7 | -22.2 | 146.1 | 113.7 | -22.2 | • | 39.1 | • | 12.7 | 9.5 | -25.2 | 103.4 | 100.8 | *-2.5 |
| Indiana | 53.0 | 46.0 | -13.2 | 126.6 | 102.9 | -18.7 | • | • | • | 13.9 | 18.9 | ••36.0 | 64.4 | 99.7 | 54.8 |
| lowa | 39.5 | 31.5 | -20.3 | 138.1 | 93.4 | -32.4 | • | • | • | 32.9 | 28.2 | **-14.3 | 80.9 | 106.6 | 31.8 |
| Kansas | 46.8 | 38.1 | -18.6 | 131.4 | 9.96 | -26.5 | • | 68.4 | • | 38.6 | 30.3 | *-21.5 | 98.1 | 106.7 | *8.8 |
| Kentucky | 64.8 | 53.9 | -16.8 | 117.6 | 99.1 | -24.2 | • | • | • | • | • | • | • | 69.5 | • |
| Louisiana | 52.7 | 45.8 | -13.1 | 117.5 | 95.8 | -18.5 | • | 84.5 | • | 19.2 | 23.4 | *21.9 | 24.8 | 32.9 | **32.7 |
| Maine | 43.3 | 59.9 | -30.9 | • | • | • | • | • | • | • | • | • | • | • | • |
| Maryland | 36.2 | 27.6 | -23.8 | 6.96 | 73.5 | -24.1 | • | • | • | 12.1 | 10.4 | *-14.0 | 44.2 | 52.6 | 0.61 |
| Massachusetts | 25.3 | 19.9 | -21.3 | 95.7 | 71.3 | -25.5 | • | • | • | 30.6 | 21.6 | -29.4 | 129.8 | 106.3 | -18.1 |
| Michigan | 41.1 | 32.1 | -21.9 | 130.1 | 84.6 | -35.0 | • | 47.2 | • | 19.4 | 20.7 | 4.6.7 | 90.3 | 87.9 | **-2.7 |
| Minnesota | 29.5 | 21.9 | -25.0 | 156.3 | 115.4 | -26.2 | 144.2 | 95.5 | -35.9 | 70.7 | 69.8 | *-1.3 | 100.9 | 130.2 | 29.0 |
| Mississippi | 59.1 | 53.4 | 9.6 | 117.6 | 95.1 | -19.1 | • | • | • | • | • | • | • | • | • |
| Missouri | 51.3 | 43.2 | -15.8 | 146.3 | 97.6 | -33.3 | • | • | • | 19.6 | 20.4 | . 4 .1 | 67.4 | 81.7 | 21.2 |
| Montana | 38.7 | 30.4 | -21.4 | • | • | • | 131.8 | 808 | ج 1.1 | • | • | • | • | • | • |
| Nebraska | 34.7 | 29.4 | -15.3 | 130.3 | 81.9 | -37.1 | • | • , | • | | • ! | • : | 99.8 | 99.3 | 9.5 |
| Nevada | 60.4 | 46.4 | -23.2 | 138.4 | 81.3 61.3 | 4 6. | • | 64.2 | • | 45.8 | 47.3 | 10.5 | 14. | 117.2 | .5.7 |
| New Hampshire | ; | 26.7 | : | • | • | • | • | • | • | • | • | • | • | • | • |
| New Jersey | 18.2 | 13.6 | -25.3 | 103.3 | 80.4 | -22.2 | • | • | • | 7.3 | 6.8 | 8.φ • | 95.1 | 76.2 | -10.5 |
| New Mexico | 50.9 | 39.6 | -22.2 | 100.8 | 57.1 | 43.4 | 91.8 | 74.0 | -19.4 | • | • | • | 101.0 | 93.0 | -7.9 |
| New York | 26.3 | 21.6 | -17.9 | 76.7 | 61.4 | -19.9 | 29.9 | 35.2 | 17.7 | 10.7 | . . | *3.7 | 85.4 | 75.2 | -11.9 |
| North Carolina | 52.5 | 44.4 | -15.4 | 110.9 | 84.7 | -23.6 | 97.5 | 94.1 | *-3.5 | 33.2 | 52.5 | 58.1 | 104.0 | 198.6 | 91.0 |
| North Dakota | 28.8 | 24.0 | -16.7 | • | • | • | 143.2 | 110.0 | -23.2 | • | • | • | • | • | • |
| Ohio | 48.9 | 39.6 | -19.0 | 134.7 | 96.8 | -28.1 | • | • | • | 15.2 | 20.9 | **37.5 | 83.1 | 83.1 | 0.0 |
| Oklahoma | 61.5 | 52.2 | -15.1 | 132.0 | 85.0 | -35.6 | 90.5 | 82.8 | . 6.4 | 36.5 | 27.5 | **-24.7 | 91.7 | 110.6 | 20.6 |
| Oregon | 49.2 | 40.2 | -18.3 | 113.1 | 72.2 | -36.2 | 84.5 | 82.3 | *- 2.6 | 21.5 | 29.5 | **37.2 | 131.4 | 113.9 | -13.3 |
| Pennsylvania. | 33.1 | 25.7 | -22.4 | 132.5 | 98.8 | -25.4 | • | • | • | 18.9 | 14.8 | *-21.7 | 130.1 | 114.7 | -11.8 |
| Rhode Island | 33.5 | 27.3 | -18.5 | 120.6 | 74.2 | -38.5 | • | • | • | • | 57.1 | • | 109.2 | 129.1 | *18.2 |
| See footnotes at end of table. | | | | | | | | | | | | | | | |



Table 4. Birth rates for teenagers age 15–19 years, by race and Hispanic origin: United States and each State, 1991 and 1998, and percent change, 1991–98—Con.

| | | Non-Hispanic white | rnic white | | Black | | | American Indian | Indian | Asi | an or Paci | Asian or Pacific Islander | | Hispanic | inic |
|-----------------|------|--------------------|---------------------------|-------|-------|---------------------------|-------|-----------------|---------------------------|------|------------|---------------------------|-------|----------|---------------------------|
| State | 1991 | 1998 | Percent change 1991–98 | 1991 | 1998 | Percent change 1991–98 | 1991 | 1998 | Percent change 1991–98 | 1991 | 1998 | Percent change 1991–98 | 1991 | 1998 | Percent change 1991–98 |
| South Carolina. | 54.6 | 47.2 | -13.6 | 102.8 | 80.3 | -21.9 | • | • | • | • | 35.3 | • | 65.6 | 80.8 | 23.2 |
| South Dakota | 35.6 | 28.3 | -20.5 | • | • | • | 146.3 | 117.8 | -19.5 | • | • | • | • | • | • |
| Tennessee | 61.9 | 53.8 | -13.1 | 129.3 | 98.9 | -23.5 | • | • | • | 24.6 | 34.9 | **41.9 | 44.6 | 113.9 | 155.4 |
| Texas | 49.6 | 43.4 | -12.5 | 116.0 | 80.7 | -30.4 | 49.4 | 32.1 | -35.0 | 17.8 | 15.2 | -14.6 | 110.2 | 106.3 | . 3.5 |
| Utah. | 4.4 | 33.7 | -24.1 | • | • | • | 86.9 | 90.1 | *-7.8 | 37.0 | 40.5 | ••9.5 | 104.3 | 120.4 | 15.4 |
| Vermont | 39.5 | 24.9 | -37.0 | • | • | • | • | • | • | • | • | • | • | • | • |
| Virginia | 40.5 | 32.3 | -20.2 | 98.3 | 74.6 | -24.1 | • | • | • | 14.6 | 16.9 | ••15.8 | 62.0 | 64.7 | 4.4 |
| Washington | 46.5 | 34.3 | -26.2 | 97.4 | 65.9 | -35.4 | 102.1 | 77.9 | -23.7 | 25.4 | 25.2 | 8 .0- | 125.8 | 101.0 | -19.7 |
| West Virginia. | 57.4 | 48.6 | -15.3 | 85.2 | 72.4 | 15.0 | • | • | • | • | • | • | • | • | • |
| Wisconsin | 30.1 | 23.5 | -22.9 | 173.7 | 126.7 | -27.1 | 92.8 | 76.5 | -20.1 | 72.4 | 67.8 | ‡ .θ. | 93.0 | 104.2 | ••12.0 |
| Wyoming | 50.0 | 45.6 | -14.8 | • | • | • | • | • | • | • | • | • | 76.3 | 88.8 | 16.4 |
| | | | | | | | | | | | | | | | |

[•] Figure does not meet standards of reliability or precision (based on fewer than 20 births or fewer than 1,000 women in specified group).

• Not significant at p < 0.05.

• Data not available.

NOTES: Rates by race and Hispanic origin cannot be computed for the territories, because populations by race and Hispanic origin are not available for these areas. Birth rates by State shown in this table are based on population estimates provided by the U.S. Bureau of the Census and, therefore, the rates shown here may differ from rates computed on the basis of other population estimates.

Technical notes

Data shown in this report for 1998 and earlier years are based on 100 percent of the birth certificates registered in all States and the District of Columbia. More than 99 percent of births occurring in this country are registered. Tabulations by State also include Puerto Rico, the Virgin Islands, Guam, American Samoa, and the Northern Marianas. However, totals shown for the United States do not include these areas.

Tabulations by race and Hispanic origin of mother are based on this information as reported on the birth certificate. Race and Hispanic origin are reported as separate items on the birth certificate. Although the overwhelming majority of Hispanic births (97 percent) are to white women, there are substantial differences in teenage childbearing patterns between Hispanic and non-Hispanic white women. Therefore, data are shown separately for these groups.

Population data for computing birth rates were provided by the U.S. Bureau of the Census (3, 5). Rates by State shown here may differ from rates computed on the basis of other population estimates. State rates are based on mother's place of residence. Population estimates by race and Hispanic origin are not available for the territories. Data are not available for American Samoa and the Northern Marianas for 1991, because birth data were not collected.

Rates were not computed if there were fewer than 20 births in the numerator or fewer than 1,000 women in the specified group in the denominator. In tables 1–4, an asterisk is shown in place of the rate.

Additional detailed information on the tabulation of birth data by race, random variation, and relative standard error is provided in earlier reports (2,13).



Suggested citation

Ventura SJ, Curtin SC, Mathews TJ. Variations in teenage birth rates, 1991–98: National and State trends. National vital statistics reports; vol 48 no. 6. Hyattsville, Maryland: National Center for Health Statistics. 2000.

National Center for Health Statistics

Director, Edward J. Sondik, Ph.D. Deputy Director, Jack R. Anderson

Division of Vital Statistics

Director, Mary Anne Freedman

To receive this publication regularly, contact the National Center for Health Statistics by calling 301-458-4636 E-mail: nchsquery@cdc.gov

Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

U.S. DEPARTMENT OF HEALTH & HUMAN SERVICES

Centers for Disease Control and Prevention National Center for Health Statistics 6525 Belcrest Road Hyattsville, Maryland 20782-2003

DHHS Publication No. (PHS) 2000-1120 0-0295 (4/2000)

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

FIRST CLASS MAIL POSTAGE & FEES PAID CDC/NCHS PERMIT NO. G-284

9804 216216 ABGHIMQ 0001
ERWIN FLAXMAN
DIRECTOR
INSTITUTE FOR URBAN MINORITY EDU
BOX 40 TEACHERS
COLLEGE COLUMBIA UNIVERSITY
NEW YORK NY 10027-0040





U.S. Department of Education

Office of Educational Research and Improvement (OERI)

National Library of Education (NLE)

Educational Resources Information Center (ERIC)



NOTICE

Reproduction Basis

| (Blanket)" form (on file within the ERIC system), encompassing all or classes of documents from its source organization and, therefore, does not require a "Specific Document" Release form. |
|---|
| This document is Federally-funded, or carries its own permission to reproduce, or is otherwise in the public domain and, therefore, may be reproduced by ERIC without a signed Reproduction Release form (either "Specific Document" or "Blanket"). |

EFF-089 (3/2000)

